








# VIBRATION ROLLER

 SEE MORE >

Model	Operating Weight	Centrifugal Force	Drum Width	Engine
MRH-601DS 	551kg	10.8kN (1100kgf)	650mm	Kubota EA330 <b>Diesel (Water Cooled)</b>
MRH-501DS 	530kg	10.0kN (1020kgf)	575mm	
MRH-700DSCB 	700kg	23.5kN (2400kgf)	650mm	Yanmar L100N <b>Diesel (Air Cooled)</b>
MRH-700DSB 	728kg			Yanmar TF70V <b>Diesel (Water Cooled)</b>
MRH-700GS 	680kg			Honda GX390 <b>Gasoline</b>
MRH-900DSY 	870kg			Yanmar L100N <b>Diesel (Air Cooled)</b>

## Power Trowel

### MPT-36H

- This machine makes half-dried concrete even surface.

[SEE MORE >](#)



## Submersible Pump & Drive unit

[SEE MORE >](#)



**GE-5LH (28kg)**



**GE-5LDY (45kg)**  
(Diesel type)

## CONCRETE CUTTER



# Dust Collecting Type Dry Cutter

 SEE MORE 

Model	Operating Weight	Blade Size	Max Cutting Depth	Engine
 MCD-RY14HS	145kg	305mm-356mm (12inch-14inch)	100mm	Honda GX270 <b>Gasoline</b>

## WET CUTTER

 SEE MORE 


Model	Operating Weight	Blade Size	Max Cutting Depth	Engine
 MCD-012H	57kg	254mm-305mm (10inch-12inch)	100mm	Honda GX160 <b>Gasoline</b>
 MCD-L14H	100kg	254mm-356mm (10inch-14inch)	120mm	Honda GX200 <b>Gasoline</b>
 MCD-218CEH	184kg	254mm-457mm (10inch-18inch)	170mm	Honda GX390 <b>Gasoline</b>
 MCD-318HS	190kg	254mm-457mm (10inch-18inch)	170mm	Honda GX390 <b>Gasoline</b>

High Cycle Frequency Concrete Vibrator



Model	Maximum Length	Weight	Power	Frequency	Stroke
FC-100	100m	1.5kg	100W	100Hz	10mm
FC-150	150m	2.0kg	150W	150Hz	15mm
FC-200	200m	2.5kg	200W	200Hz	20mm
FC-250	250m	3.0kg	250W	250Hz	25mm

High Cycle Frequency Concrete Vibrator(Steel type)



Model	Maximum Length	Weight	Power	Frequency	Stroke
FC-100S	100m	1.5kg	100W	100Hz	10mm
FC-150S	150m	2.0kg	150W	150Hz	15mm
FC-200S	200m	2.5kg	200W	200Hz	20mm
FC-250S	250m	3.0kg	250W	250Hz	25mm

High Cycle Frequency Engine Generator



Model	Maximum Length	Weight	Power	Frequency	Stroke
FC-100E	100m	1.5kg	100W	100Hz	10mm
FC-150E	150m	2.0kg	150W	150Hz	15mm
FC-200E	200m	2.5kg	200W	200Hz	20mm
FC-250E	250m	3.0kg	250W	250Hz	25mm

High Frequency Inverter & Voltage Converter



Model	Maximum Length	Weight	Power	Frequency	Stroke
FC-100I	100m	1.5kg	100W	100Hz	10mm
FC-150I	150m	2.0kg	150W	150Hz	15mm
FC-200I	200m	2.5kg	200W	200Hz	20mm
FC-250I	250m	3.0kg	250W	250Hz	25mm

Portable Concrete Vibrator(Rubber hose type)



Model	Maximum Length	Weight	Power	Frequency	Stroke
PC-100R	100m	1.5kg	100W	100Hz	10mm
PC-150R	150m	2.0kg	150W	150Hz	15mm
PC-200R	200m	2.5kg	200W	200Hz	20mm
PC-250R	250m	3.0kg	250W	250Hz	25mm

Portable Concrete Vibrator(Steel pipe type)



Model	Maximum Length	Weight	Power	Frequency	Stroke
PC-100S	100m	1.5kg	100W	100Hz	10mm
PC-150S	150m	2.0kg	150W	150Hz	15mm
PC-200S	200m	2.5kg	200W	200Hz	20mm
PC-250S	250m	3.0kg	250W	250Hz	25mm

Portable Concrete Vibrator(Special unique type)



Model	Maximum Length	Weight	Power	Frequency	Stroke
PC-100U	100m	1.5kg	100W	100Hz	10mm
PC-150U	150m	2.0kg	150W	150Hz	15mm
PC-200U	200m	2.5kg	200W	200Hz	20mm
PC-250U	250m	3.0kg	250W	250Hz	25mm

GR Concrete Vibrator



Model	Maximum Length	Weight	Power	Frequency	Stroke
GR-100	100m	1.5kg	100W	100Hz	10mm
GR-150	150m	2.0kg	150W	150Hz	15mm
GR-200	200m	2.5kg	200W	200Hz	20mm
GR-250	250m	3.0kg	250W	250Hz	25mm

GS Concrete Vibrator



Model	Maximum Length	Weight	Power	Frequency	Stroke
GS-100	100m	1.5kg	100W	100Hz	10mm
GS-150	150m	2.0kg	150W	150Hz	15mm
GS-200	200m	2.5kg	200W	200Hz	20mm
GS-250	250m	3.0kg	250W	250Hz	25mm